# RB-LOCKS Product Catalog



#### Contents

RB-LOCKS	Pages 2-3
LOCXIS® Platform	Page 4-5
KEYLOCX <sup>™</sup> Platform	Page 6-7
Master Keying System & Software	Page 8
Accessories & Options	Pages 9-11
Key Blanks	Page 12
Cylinders  Euro Profile Cylinder SKG+ Euro Profile Cylinder (Locxis) SKG Euro Profile Cylinder Rim Cylinder Mortise Cylinder Combi Cylinder Combi Cylinder KIK Cylinder Oval Cylinder Condor - 1090 Andini Forclaz Cylinder Class Room Swiss Profile Cylinder Charvin Cylinder Julioz Cylinder Verrou Sambuy Trelod Cylinder Modular	Pages 13-34 pages 14-15 page 16 page 17 page 18 page 19 page 20 page 21 page 22 page 23 page 24 page 25 page 26 page 27 page 28 page 29 page 30 page 31 page 32 page 33 page 33
Locks  XBOLT Dead Bolt Central Lock Switch 22 Lock Mail Box Cylinder Cam Locks Padlocks Padlocks Padlocks G Drawer Latch Lock Arcalod Hasps Shackle Protector Upper Locks - Safe Locks Multi Point Lock with Monitoring Function Fast Opening (Panic) Muli-Point Lock R80 Lock Mortise Lock - 100/101 Series	Pages 35-53 page 36 page 37 page 38 page 39 pages 40-41 pages 42 page 43 page 44 page 45 page 46 page 47 page 48 page 49 page 50 page 51 page 52 page 53
Accessories	Pages 55-61
RB-DOORS	Pages 62-68

#### **RB-LOCKS**



RB-LOCKS is the Lock Division of the RB-Group, specialists and manufacturers of residential and commercial doors, lock products and security solutions keeping homes, businesses and institutions safe and secure for half a century. With global presence in 50 countries across five continents, RB-LOCKS targets the needs of locksmiths and lock professionals for reliable total lock solutions in a varying range of security levels; high defense security, commercial and residential.

#### **Total Lock Solutions**

RB-LOCKS specializes in providing total lock solutions, offering a large and varied selection of products to answer all locking needs and requirements. Within our product range, you will find multiple types of lock systems, cylinders, keys, locks, lock accessories and hardware. With the wide variety available and our professional support, locksmiths and lock professionals are able to accurately offer the most relevant locking products and full solutions, strengthening their positioning when competing in large commercial and industrial projects.



#### Superior Quality Products


RB-LOCK products are made from tested raw metal materials (brass, hardened steel, stainless steel and nickel) to guarantee lifelong durability. The updated production line features state-of-the-art fully and semi-automated machinery for absolute precision in cutting, manufacturing and assembly. The in-house testing labs located in each department ensure consistency of quality and accuracy in production. Our lock products are tested before leaving the factory and are compliant to the strictest of International Standards Testing.

#### Service

We highly value our business partners and as professionals in the field, we are dedicated to customer satisfaction and a consistent positive customer experience. Responsive to the needs of distributors, lock professionals, and their markets, we are able to support ,develop, customize, and provide broader solutions.

Growth, Development and Technology RB-LOCKS expanding facilities and growing capacities incorporate the latest machinery available, specialized automated machinery ensuring precision and accuracy in production for all processes, parts and finished products. Our Research and Development Engineering team is committed to constant improvement of products and processes, while investing time and resources in developing and expanding our product range through new products, solutions and leading security technologies.





# The LOCXIS® Technology Platform (patented)


RB-LOCKS premium line, the LOCXIS System, with the patented "active floating pin" technology within the key and cylinder, provides a high-security lock with unparalleled performance in protecting property. Safeguarding entry with patented, complex lock and restricted keys, RB-LOCKS floating pin technology (patent protected until 2030) enables countless possibilities of unique key profile configurations. The LOCXIS platform, easily installed in new or existing doors, is the right choice for commercial, industrial, institutional and residential uses requiring higher levels of security and entry restriction. LOCXIS is easily integrated into keyed-alike, keyed-different and Master Key systems.

The complex LOCXIS cylinder sets an exceptionally high standard of security. The cylinder features anti-snapping technology and telescopic, stainless steel, anti-drill and anti-pick pins positioned for resistance and protection against drilling and burglary.

Manufactured with precision, the LOCXIS Key delivers maximum durability, easy rekeying and high-security key restriction through the vast number of possible unique combinations with its single or double rows of floating active pins and stainless steel telescopic ball technology. Duplication of keys is restricted and controlled by the individual LOCXIS Duplication Cards supplied with every LOCXIS cylinder, padlock or cam lock and keys can be copied by authorized locksmiths only.









# The KEYLOCX<sup>™</sup> Technology Platform (Patented)

The KEYLOCX system is an ideal high-security lock system for residential and commercial uses, providing outstanding security and protection, restricted key duplication and lasting durability.

Strong, functional and versatile, the KEYLOCX key and cylinder conform to keyed-alike, keyed-different and Master Key systems and can be quickly installed in new doors or doors with existing lock hardware.

For increased key restriction, the KEYLOCX key incorporates RB-LOCKS patented "active floating pin" technology (patent protected until 2030) and through diverse pin combinations, features more than 60 unique key blank possibilities.

The sturdy, seven-chambered KEYLOCX cylinder is manufactured from brass and for further protection and resistance against drilling and burglary, is reinforced with stainless steel anti-drill pins.

The tumbler has been engineered for high performance operation triggered by the stainless steel patented pins in the KEYLOCX key.

The key, cylinder, tumbler, and stainless steel pins have all been rigorously tested for strength, wear and durability. Duplication of keys is restricted and controlled by the individual KEYLOCX Duplication Cards supplied with every KEYLOCX cylinder, padlock or cam lock and keys can be copied by authorized locksmiths only.





# Anti Drilling Pins Active Floating Pin Anti Pick Anti Pick Drive pins Shaped Pin Hardened Disk



Hardened Drive Pins

# Master Keying Software

RB-LOCKS developed the Master Design Software to provide our customers with an easy-to-use, web-based Master Keying Software. The Master Design Software is intuitive and easy to use and produces easy to read schemes mapping out your organization's access control through two mathematical structures of Master Key Systems:


#### 1. Hierarchical Master Key System

The structure of this chart, similar to a Corporate Organizational Chart, lays out the organization's authorized key levels and access permissions, starting from the highest master key level and moving down through the levels.

#### 2. Matrix Master Key System

This matrix scheme maps out the organization's access scheme through defining the list of users on one axis and the relevant list of doors on the second axis.

Master Design supports multiple languages.



# Accessories & Options (Pat.Pend.)

#### X3 Smartkey

With the X3 Rekeying System by RB-LOCKS, the combination of the existing cylinder can be changed without needing to replace the entire cylinder lock.

Designed for immediate rekeying and entry control, the X3 cylinder allows the combination within the cylinder to be changed by the use of the X3 Key. When a new X3 key is employed, the previous combination in the cylinder is fully altered and replaced by the combination of the new key.

Well suited for the construction industry, the X3 system answers needs for controlled rekeying situations, or urgent changes.

#### Technical Specifications:

#### X3 Key Set:

The key set consists of 3 different keys, each with their own key head color and different combination coding. The predetermined order of the keys is set to allow change and replacement of the cylinder's combination. Once the next key of the set is used, the combination of the new key replaces the previous combination in the cylinder. The previous key will no longer open the cylinder.



To change the cylinder combination, simply insert the new key into the cylinder and rotate until a "click" is heard.

The X3 Rekeying Set includes a unique duplication card with all three combinations.

The X3 is available for a variety of cylinder types:



Euro Profile Cylinder



**XBOLT Dead Bolt** 



Mortice Cylinder



# Accessories & Options

#### Anti Snapping

The Anti Snapping Cylinder has a special slot intentionally designed to break away if the cylinder is tampered with and excessive force or torque is applied.

After breaking, the locking mechanism cannot be accessed while the authorized key will still continue to operate the snapped cylinder.

#### Emergency Cylinder (Patented)

Unique cylinder allowing insertion of keys on both sides of the cylinder and simultaneous operation, activating a "double clutch" mechanism.



Anti Snapping Slot



#### **Technical Specifications**


General	The technology works with Euro-profile cylinders, LOCXIS® or Keylocx™ systems, with gear or cam. Emergency cylinders are available with random combination key set, keyed alike or for Master Key systems.
Suitable for	Residential Institutions Hospitals Schools Nursing homes Etc.

# Accessories & Options

## Thumbturn



# Operators Table




# RB Key Blanks



Key-head can be ordered with customer's name or logo (minimum order amounts apply, please inquire)

# CYLINDERS



## Euro Profile Cylinder

Suitable for locks using Euro profile cylinders, compatible with RB multi point locks. Standard double or single cylinder.



#### Technical Specifications -

Operation	360° rotation by operating key or thumb turn	<u></u>
Dimensions	As requested	
Materials	Body and plug: Brass Pins: Stainless steel Accurately machined telescopic pin system, allows building complex master systems. Cylinder is protected by four hardened steel anti-drilling pins (double cylinder).	10 A
Finishes available (Standard)	Nickel Satin (US15) Shiny Brass (US3) Nickel Chrome (US26) Natural Brass	
Cylinder platforms available	Locxis Keylocx	СВ
Standards	EN1303 SII950	
Applications	Master Key Systems Keyed Alike Systems X3* SmartKey Emergency Cylinder (AS) Anti-Snap Cylinder and more	

#### Double Cylinder

Α	В	С
62	31	31
66	31	35
66	33	33
70	35	35
71	31	40
71	33	38
75	40	35
76	31	45
73	33	43
76	38	38
78	33	45
80	40	40
80	45	35
81	31	50
81	33	48
81	33	48
81	38	43
82	47.5	34.5
83	35	48
83	45	38
85	45	40
85	45	40
85	50	35
86	31	55
86	33	53
86	38	48
86	43	43
86	38	48
86	43	43
88	40	48
88	50	38
90	45	45

Α	В	С
90	55	35
91	31	60
91	33	58
91	38	53
91	43	48
93	40	53
95	50	45
95	55	40
95	60	35
96	31	65
96	33	63
96	38	58
96	43	53
96	48	48
100	50	50
100	55	45
100	60	40
100	65	35
101	31	70
101	38	63
101	43	58
101	48	53
101	68	33
105	55	50
105	60	45
105	65	45
105	70	35
106	53	53
110	55	55
110	60	50
110	65	45
110	70	40

Α	В	С
110	75	35
111	48	63
115	60	55
115	65	50
115	70	45
15	75	40
15	80	35
116	33	83
118	33	85
120	60	60
120	65	55
120	70	50
120	75	45
120	80	40
125	75	50
125	65	60
125	70	55
125	80	45
130	50	80
130	55	75
130	65	65
130	70	60
130	95	35
135	55	80
135	60	75
135	65	70
135	100	35

#### Single Cylinder

Α	В
40.5	31
42.5	33
44.5	35
47.5	38
49.5	40
52.5	43
54.5	45
57.5	48
59.5	50
64.5	55
96.5	60
74.5	65
79.5	70
84.5	75
89.5	80
99.5	90

# SKG+ Euro Profile Cylinder (Locxis)



Compatible with Euro profile cylinder locks, including multi point locks produced by RB and other manufacturers for high security applications.





#### Technical Specifications -

Operation	Operating key or thumbturn
Materials	Body and plug: Brass Keys: Nickel Silver Reinforced cylinder with drill resistant, hardened carbide pins, anti-snap slot and hardened steel, reinforcement plate.
Finishes (Standard)	Nickel Satin (US15) Shiny Brass (US3)
Standards	EN1303 SKG*** 3 stars rating
Cylinder Platforms Available	Locxis
Features	Pull Resistance – 1500Kg Snap Resistance (AS)
Applications	Keyed Different Keyed Alike Master Keyed X3 Smart key Emergency cam cylinder

# SKG Euro Profile Cylinder



Compatible with Euro profile cylinder locks, including multi point locks produced by RB and other manufacturers for high security applications.





#### Technical Specifications $\circ$

Operation	Operating key or thumbturn	<u> </u>
Vlaterials	Body and plug: Brass. Pins: Stainless steel. Reinforced cylinder with hardened carbide pins Keys: Nickel Silver	8
Finishes (Standard)	Nickel Satin (US15) Shiny Brass (US3)	10
Standards	EN1303 SKG*** 3 stars rating	
Cylinder Platforms Available	Locxis	00000
Features	Pull Resistance – 1500Kg	ВС
Applications	Keyed Different Keyed Alike Master Keyed X3 Smart key Emergency cam cylinder	

# SKG Euro Profile Cylinder (Keylocx)



Compatible with Euro profile cylinder locks, including multi point locks produced by RB and other manufacturers for high security applications.





#### Technical Specifications $\circ$

Operation	Operating key or thumbturn	- Ø 17
Vlaterials	Body and plug: Brass Pins: Brass Reinforced cylinder with hardened carbide pins Keys: Nickel Silver	
Finishes (Standard)	Nickel Satin (US15) Shiny Brass (US3)	10
Standards	EN1303 SKG*** 3 stars rating	
Cylinder Platforms Available	Keylocx	C B
Features	Pull Resistance – 1500Kg	<del></del>
Applications	Keyed Different Keyed Alike Master Keyed Emergency cam cylinder	


# Scandinavian Oval Cylinder

Cylinder suitable to "Assa" type lock cases. Available as a pair of interior and external cylinders, or, external cylinder only.





#### Technical Specifications $\circ$



# Rim Cylinder

Tail cylinders suitable for use with a wide range of Rim locks for residential and commercial applications.





#### Technical Specifications $\circ$ -

Operation	360° rotation by operating key	21mm
Materials	Body and plug: Brass Pins: Stainless steel Accurately machined telescopic pin system, allows building complex master systems. Cylinder is protected by hardened steel anti-drilling pins.	3mm [0.126in]
Finishes available (Standard)	Nickel Satin (US15) Shiny Brass (US3)	24.8mm [0.976in]
Cylinder platforms available	Locxis Keylocx	Vertical tail  49mm  [1.925in]
		A (mm) 5.7 8.9 12.2 15.5

# Mortise Cylinder

Cam cylinders suitable for residential and commercial applications.



Operation	360° rotation by operating key	26.5mm . A. [1,043in]
Materials	Body and plug: Brass Pins: Stainless steel Accurately machined telescopic pin system, allows building complex master systems. Cylinder is protected by hardened steel anti-drilling pins.	5.7mm [0.224in]
Finishes (Standard)	Nickel Satin (US15) Shiny Brass (US3)	3mm [0.118in] 24.3mm 2.5mm [0.957in] [0.098in]
Cylinder platforms available	Locxis Keylocx	1.15"-32UNS 2A
		A (mm) 5.7 8.9 12.2 15.5

# Combi Cylinder

Tail or Cam cylinders suitable for use in residential and commercial applications and a wide range of locking mechanisms.





#### Technical Specifications $\circ$ -


Operation	360° rotation by operating key UL437		_21mm
Materials	Body and plug: Brass Pins: Stainless steel Accurately machined telescopic pin system, allows building complex master systems. Cylinder is protected by hardened steel anti-drilling pins.	3mm (9.42mm (1.648in]	0.827in MM V S O
Finishes available (Standard)	Nickel Satin (US15) Shiny Brass (US3)		24.2mm 2.5mm [0.951in] [0.098in]
Cylinder platforms available	Locxis Keylocx		1.15" -32UNS 2A
			# Horizontal tail    A (mm)   5.7   8.9   12.2   15.5

#### KIK Cylinder

(K.I.K) Key-In-Knob cylinder compatible with "Dorex" deadbolt lock, "Emtek" deadbolt lock, "Schlage" knob set/lever set and "Sargent" lever set.



#### Technical Specifications $\circ$



# Oval Cylinder

Suitable for use with UK oval profile standard double cylinder lock cases.



#### Technical Specifications - Technical Drawings

Operation	360° rotation by operating key or thumb turn	Double cylinder
Materials	Body and plug: Brass Pins: Stainless steel Accurately machined telescopic pin system, allows building complex master systems. Cylinder is protected by hardened steel anti-drilling pins.	B C
Finishes available (Standard)	Nickel Satin (US15) Shiny Brass (US3)	Single cylinder
Standards	EN1303	
Cylinder platforms available	Locxis Keylocx	B B
		Thumbturn 25

#### Condor - 1090

Compatible with "Scanavini" type lock cases.



#### Technical Specifications $\circ$ -

Operation	360° rotation by operating key	
Materials	Body and plug: Brass Pins: Stainless steel Accurately machined telescopic pin system, allows building complex master systems. Cylinder is protected by hardened steel anti-drilling pins.	27.85mm [1.096in]
Finishes available (Standard)	Nickel Satin (US15) Shiny Brass (US3)	20.1mm [0.791in] 35.35mm
Cylinder platforms available	Locxis	[1.392in]  [1.392in]  [1.392in]  [1.392in]  [1.392in]  [1.392in]  [1.392in]  [1.392in]  [1.392in]

#### Andini

Compatible with "Scanavini" type lock cases.



#### Technical Specifications - Technical Drawings

Operation	360° rotation by operating key	_1 <i>7</i> mm_
Materials	Body and plug: Brass Pins: Stainless steel Accurately machined telescopic pin system, allows building complex master systems. Cylinder is protected by hardened steel anti-drilling pins.	29 mm [1.142in]
Finishes (Standard)	Nickel Satin (US15) Shiny Brass (US3)	<u>Y</u>
Cylinder platforms available	Locxis	27.3mm [1.075in]


#### Forclaz Cylinder

Cam cylinders suitable for "Fichet" type rim lock cases. Available as a pair of interior and external cylinders, or separately.





#### Technical Specifications -



#### Class Room


The Classroom Cylinder is a Euro profile cylinder with a single direction thumb turn mechanism, enabling opening from the inside while eliminating the possibility of locking or preventing entrance by holding the thumb-turn.



#### Technical Specifications -

Technical Drawings

360° rotation by operating key or thumb turn to open only. Operation Body and plug: Brass Pins: Stainless steel Materials Accurately machined telescopic pin system, allows building complex master systems. Cylinder is protected by hardened steel anti-drilling pins. Finishes Nickel Satin (US15) Shiny Brass (US3) (Standard) Nickel Chrome Matte (US26D) Cylinder Locxis



platforms available

# Swiss Profile Cylinder

Compatible with mortise lock cases using Swiss profile cylinders.



#### Technical Specifications $\circ$ -


Operation	360° rotation by operating key or thumbturn.	<u></u>
Materials	Body and plug: Brass Cam: Steel Pins: Stainless steel - accurately machined telescopic pin system, allows building complex master systems.	34.9
Finishes available (Standard)	Nickel Satin (US15)	9.9
Cylinder platforms available	Locxis	B C
Applications	Keyed Different Keyed Alike Master Keyed X3 Smart key	

#### Charvin Cylinder

Cam cylinders suitable for "Cazis" type lock cases. Available as a pair of interior and external cylinders, or, external cylinder only.



#### Technical Specifications $\circ$




#### Julioz Cylinder

Suitable for "Keso" mortise lock cases.





#### Technical Specifications -




#### Verrou Sambuy

Cam cylinders suitable for "Vachette" type rim lock cases.



#### Technical Specifications $\circ$



# Trelod Cylinder

Cam cylinders suitable for "Fichet" type rim lock cases.





#### Technical Specifications $\circ$

Operation	360 °rotation by operating key	Trelod
Materials	Body and plug: Brass Pins: Stainless steel Accurately machined telescopic pin system, allows building complex master systems.	40.2mm [0.781in]
Finishes (Standard)	Nickel Satin (US15) Shiny Brass (US3)	A B B
Cylinder platforms available	Locxis	TRELOD FORTE  TRELOD FORTE

#### Modular (Pat.Pend.)


The Modular kit offers flexibility for locksmiths, allowing for immediate response and ability to provide any cylinder dimension on demand, including on site.

The RB modular cylinder is easy to assemble and disassemble and requires minimum tooling and effort.






#### Technical Specifications -



# LOCKS



# Locks

#### XBOLT Dead Bolt (Pat.Pend)

XBOLT™, RB-LOCKS® automatic interlocking mechanism which secures itself to the door frame when the bolt is in the locked position.

The XBOLT™ deadbolt cylinder is secured by the LOCXIS® key system

technology.

The XBOLT™ is Security listed by the American standard UL437 and UL10B.





#### Technical Specifications $\circ$


General	Patent pending tubular lock exclusive to RB-LOCKS. When bolt is in the locked position, the XBOLT™ interlocks with the door frame. The lock is operated by RB-Locks Locxis® cylinder and can be applied to various systems, including; keyed different, keyed alike, master keyed and X3 rekeying platform.	
Operation	Single cylinder with interior thumb turn, or, double cylinder for key operation on both sides.  Keyed alike possible for both deadbolt lock and the door's main cylinder.  Adjustable backset bolt from 2%" to 2%".	Side Strip
Material	Cylinder, rosettes and thumb turn: brass Bolt: hardened steel	Back-Set
Finishes available	Nickel Satin (US15) Shiny Brass (US3) Nickel Chrome Matte (US26D)	
Cylinder Platform	Locxis Keylocx	Back-Set [mm]   Back-Set [inch]   60   2.362   70   2.756   Drive-In-Cop

#### Central Lock

Multi point locking system suitable for rear vehicle doors for a higher security level, and for wood and steel doors.



### Technical Specifications $\circ$ -



### Switch 22 Lock

Micro-switch cylinders used to control electric circuits such as electric shutters, parking gates, etc.





Operation	Micro- switch: 5A 250VAC Momentary/Permanent Electric Switch operation	56.50mm [2.224in]
Material	Body and plug: Brass Pins: Stainless steel Accurately machined telescopic pin system, allows building complex master systems. Cylinder is protected by hardened steel anti-drilling pins.	7/8" UNS 2A
Finishes available	Nickel Satin (US15) Shiny Brass (US3) Nickel Chrome Matte (US26D)	
Cylinder platforms available	Locxis	17.50mm [0.689in] 27mm [1.063in]

### Mail Box Cylinder

Cam locks for mail boxes.



Operation	90° cam rotation by operating key. Adjustable for clockwise and counter clockwise operation.	19mm [0.748in]
Materials	Body and plug: Brass Cam: Steel Pins: Stainless steel - accurately machined telescopic pin system, allows building complex master systems.	D4
Finishes available (Standard)	Nickel Satin (US15)	Smm O.197in
Cylinder platforms available	Locxis	22.4mm [0.88in]
Applications	Keyed Differen Keyed Alike Master Keyed X3 Smart key	Ø 29mm [1.14in]

#### Cam Locks


Cam cylinders suitable for a variety of applications: cabinets, drawers, personal lockers, coin operated machines, etc. Available in sizes 19, 22 and 29.








#### Technical Specifications -



### Cam Locks



#### **Padlocks**

High security padlock series suitable for commercial and residential applications. RB padlocks can be supplied individually keyed, keyed alike, or as part of a master key system together with other RB cylinders or cam locks. For enhanced protection, the padlocks can be used with RB hasps.



available							_	С	
Cylinder platforms	Locxis Keylocx						R	P RB-L	OCKS
Finishes available	Nickel Sati Black coati						ω		ØA.
Standards	SII 21							HARDENA	Ø
Materials	Mechanism Cover and	n-Steel Shackle- Ha	rdene	ed steel			1	F	<u>-</u>
Options	Removable holes and o	shackle or plust cover	oop, o	draining					
Shackle type	22mm, 50r	nm and 102	mm						
Dimensions	8, 10, 13 a	and 16							
Operation		oy 55°, 65° k Ih security cy							

Model	Shackle Type	Α	B1	B2	В3	С	D	E1	E2	E3	F
PL 8	Connected	8	77.5	105.5	157.5	50	22	22.5	50.5	102.5	33.3
PL 10	Connected Removable	10	89.4	117.4	158.4	63	22	32.4	60.4	101.4	33.3
PL 13	Connected Removable	12.7	101.3	122.3	166.3	73	25.4	37.2	58.2	102.2	33.3
PL 16	Connected	15.9	118.5	132.5	171.5	92	32.6	48.8	62.8	101.8	40

#### Padlocks G

The 470P and 570P models are solid brass body padlocks with shackle protectors suitable for general use.





Operation	Double bearing ball locking mechanism with 90 degrees key rotation. Equipped with RB high security cylinder.	Front View	Side View
Dimensions	47mm (G47P), 55mm (G55P)		
Materials	Body: Brass Shackle: Hardened steel		
Finishes	Nickel Satin (US15) Shiny Brass (US3)	RP RE-LOCKS	es es
Cylinder platforms available	Locxis Keylocx Suitable for keyed alike and master keyed systems		

Charl

Model	A(mm)	B(mm)	C(mm)	D(mm)
G47P	47	88	20	8
G55P	55	90	22	10

### Drawer Latch Lock

For securing a variety of cabinets, drawers and slam latches.



Operation	45° cam rotation by operating key	22mm [0.866in]
Material	Body and plug: Brass Lock case: Steel Latch: Cast Zinc Alloy Pins: Stainless steel Accurately machined telescopic pin system, allows building complex master systems.	48.2mm [1.898in] 21.6mm [0.850in]
Finishes available	Nickel Satin (US15)	56mm
Cylinder platforms available	Locxis	[2.205in] 66mm [2.598in]
Applications	Keyed Different Keyed Alike Master Keyed X3 Smart key	0.455in]
		15.50mm 22.5mm [0.610in] [0.886in]

#### Arcalod

Locking system for rear and/or side doors for vehicles.

The cylinder is protected by a rosette and a sliding dust shutter made from top quality, highly corrosion-resistant stainless steel.

The cylinder is based on the Keylocx platform, rotating the locking cam 90 degrees between two fixed positions: locked and open. The cam lock remains locked after key extraction in both positions.



### Technical Specifications o-

Operation	360° rotation by operating key		68.1mm
Materials	Body and plug: Brass. Rosette and dust shutter: Stainless steel. Pins: Tumbler pins system made of brass. Cylinder is protected by hardened anti-drilling pins.		[2.681in] 40mm [1.575in]
Finishes (Standard)	Nickel Satin (US15)		70mm 70mm
Cylinder platforms available		1.4mm 811in]	33.7mm [0.118in]


### Hasps

Secure housing for padlocks with removable shackle. The hasps may be welded or bolted to steel, wood or aluminum structures.



### Technical Specifications $\circ$ -

Materials	High quality steel investment casting
Options	Three sizes to fit the 10, 13 and 16 removable shackle padlock series
Hasps dimensions	Padlock 10: 80/95/40 mm Padlock 13: 90/109 40 mm Padlock 16: 110/116/48 mm



Size Chart

Hasp No.	A (mm)	B (mm)	C (mm)
10	80	95	40
13	90	109	40
16	110	116	48

### Shackle Protector

Solid shackle protector for additional protection and enhanced security for removable and pop-up shackle padlocks.







For pop-up shackles

For removable shackles

### Technical Specifications -

Dimensions Options	See table  Suitable for 10, 13 removable or pop-up shackle padlock types		
Materials	Cast Iron	(D) and the second	
Finish	Black coating		
		REP-LECKS	so C

### Upper Locks - Safe Locks

Security lever lock for wood and steel doors. Safe lock with rounded outer trim, suitable for installation-ready RB steel door or any other wood/steel door, includes drill resistant plate option.

### Technical Specifications

Uses	Upper Mortice lock providing horizontal locking of thick bolts, designed to be used as an additional lock in the upper part of the door.
Operation	Double-sided safe key
Materials	Body: Stee Pins: Steel Drill Resistant plate (optional).
Finishes	Nickel Chrome (US26) coated outer trim, square or rounded, according to existing installation conditions of door.



Safe lock with square outer trim



### Multi Point Locks - 507, 606

Specifically designed for RB Security Steel Doors to provide multi bolt locking.

May be used with any wooden or hollow metal door.




### Technical Specifications o-

Operation	507: 4 bolts of 10 mm each 606: 3 bolts of 13mm each	22mm 	507
Operation	Performs geometric locking Operated by cylinder with gear (10 teeth). Latch is reversible for left or right doors.	(a) (b) (a) (a) (a) (a) (a) (a) (a) (a) (a) (a	[2.2mm] [0.480in]
Materials	Case, mechanism and bolts: Steel	280mm [Pastan]	
Finishes	Side strip and bolts: Nickel Chrome (US26)	(a) (b) (c) (d)	62.70mm [2.45%]
			606
		(0.516in) 13mm	[0.480n] [2.20mm]

### Multi Point Lock with Monitoring Function

A Multi Point lock with a high endurance micro-switch for detection of lock position (complete bolt extension).

The signal (opening or closing an electric circuit) can be sent to any desired destination, via a cable passing through the case. Specifically designed for RB Steel Doors to provide multi bolt locking.



### Technical Specifications $\circ$

### ----- Technical Drawings

Operation	Locked/Unlocked Indication. Performs geometric locking. Operated by RB Cylinder with gear. Latch is reversible for left and right doors. 110VAC, 220 VAC; 12 VDC; 5A max	12.20mm [0.480n]
Materials	Case, mechanism and bolts: Steel	
Finishes	Side strip and bolts: Nickel Chrome (US26)	0.79%) 3mm 0.118m) 42.70mm 12.449/m)

### Fast Opening (Panic) Muli-Point Lock (Patented)

Specifically designed for RB Steel Doors to provide Multi Point emergency opening without using a key or knob by simply pressing the handle.



### Technical Specifications o-

——— Technical Drawings


Operation	Unlock and unlatch the lock from the interior side by operating the handle only. Suitable for use with thumbturn or RB emergency cylinders with gear (10 teeth). Performs geometric locking. Latch is reversible for left and right doors.	3mm [0.118n]
Materials	Case, mechanism and bolts: Steel	20mm [0.792in]
Finishes	Side strip and bolts: Nickel Chrome (US26)	22mm [0.866in]   (0.866in]   (0.866in]   (0.866in]   (0.866in]   (0.866in]

#### R80 Lock

Complete kit for easy installation on doors, suitable for steel and wooden doors as main or secondary lock.



### Technical Specifications $\circ$ -



#### Mortise Lock - 100 Series

Mortise lock for installation on aluminum/metal doors with narrow profiles, with reversible latch for left or right door directions.



#### **Technical Specifications**

Operation	Euro profile cylinder
Materials	Steel/square outer trim
Finishes	Nickel

#### Mortise Lock - 101 Series


Mortise lock for installation on aluminum/metal doors with narrow profiles in 20/25/30/35 mm dimensions. The lock includes a reversible latch for either left or right door directions.



### Technical Specifications

Operation	Euro profile cylinder
Materials	Steel/square outer trim
Finishes	Nickel

# ACCESSORIES



### Accessories - For The Professional Locksmith

### **Key Cutting Machine**



### LOCXIS® & KEYLOCX™ Key Blanks Package

Centralized safekeeping of key blanks, packaged according to customer's needs.



### LOCXIS® & KEYLOCX™ Pin Set

Pin Set for administering changes in combinations and building Master Key and Keyed Alike Systems.
For use by locksmiths only.



### Accessories - Command and Control

#### Electric Strikes for Metal, Aluminum and Wooden Doors

Access Control Systems for a variety of uses: offices, institutions, hotels. Online or Offline user management through software installed on laptop.

EasyKey Access Control System operated by code keypad. A range of available accessories including external card reader, power conserver, safes, and advanced mini bar systems.



### **Technical Specifications**

Operation	Independent electronic operation/ Management Software
Finish	Stainless Steel
Powered	On line/Off line

### Electric Strikes for Metal, Aluminum and Wooden Doors

Eccentric electric lock for access control, customized for use with security doors such as the RB Steel Door.

The lock can be installed on both right and left doors and includes a power-off switch and adjustable latch.



#### Technical Specifications

Operation	All types of electronic keys (keypad, buzzer, biometric system, RFID card, etc.)
Materials	Body: Aluminum Bolt: Steel
Finish	Nickel

#### Fire Door Handles

Suitable for RB-Door Fire Doors. Reversible handles: left and right. Options: Fixed or Movable



### Cylinder Protector

For additional protection, highly drill-resistant decorative hardware for Euro profile cylinders, may be assembled on all types of doors of thicknesses between 40 to 65 mm.



#### Technical Specifications $\circ$

Materials	External protector & rotating disk: hardened steel Interior cover: stainless steel.	40-65mm [1.575-2.362in] DOOR THICKNESS [1.496in]
Finishes	Nickel Satin (US15)	2 SCREWS M8X55 / M8X75

#### Decorative Moveable Handle - "Emerald"


The "Emerald" hardware is suitable for entry doors with 507 and 606 RB multi-point locks.

Handles and Covers Finish: Nickel Brushed.

The "Emerald" hardware features a hardened cylinder protector with rotating disk.

The "Emerald" is available without covers (standard) or with stainless steel covers (optional).





### Decorative Moveable Handle - "Coral"


The "Coral" hardware is suitable for entry doors with 507 and 606 RB multi-point locks.

The hardware offers two types of handles: a stylish symmetrical movable handle and a round fixed handle, suitable for left or right doors.

Rosette and Handles Finish: Nickel Brushed

The "Coral" hardware features a hardened cylinder protector.





### Decorative Moveable Handle - "Sapphire"


The "Sapphire" hardware is suitable for entry doors with 507 and 606 RB multi-point locks.

The hardware offers two types of handles: a stylish symmetrical movable handle and a round fixed handle, suitable for left or right doors.


Rosette and Handles Finish: Nickel Brushed

The "Sapphire" hardware features a hardened cylinder protector.






# RB-DOORS



# Door Structure - Gladiator System



### Security Doors

RB-DOORS, part of the RB-Group, continues to be a leading global player for decades with their superior security door solutions. RB-DOOR develops and produces stylish steel security doors incorporating the latest technologies and security systems, built for strength and durability in a wide range of fashionable designs.





### Fire Doors - 30/45/60/90/120 min

The single-leaf Fire door (30, 45, 60, 90 & 120 minute fire rated) meeting with Israeli and International fire regulations, providing outstanding protection and safety for various types of industries, facilities, storerooms and stairwells.

### Technical Specifications

General Description	Door leaf with two 0.8 or 1.25mm thickness galvanized steel casings and interior reinforcements, intumescing gasket between door and frame. Fire rated hardware and telescopic bottom insert for final height adjustment
Hardware & Accessories	Fire rated lock Moveable lever door handles Fixed handle – optional Hydraulic closer – optional
Window Dimensions (optional)	600x400 mm 820x240 mm round 490 mm diameter
Door Finish	PVC finish or powder coating
Dimensions	Maximum door leaf height: 2470 mm Maximum door leaf width: 1120 mm Maximum frame dimensions: 2600X1200 mm
Certification	SII1212, EN1634, UL10C

For more information, please visit our website – <u>www.rb-doors.com</u> or contact RB local dealer.



### Forced Entry – 5, 15 & 60 min

The Forced Entry (FE) Resistant Door Models FE5 / FE15 / FE60 are all manufactured by RB-DOORS according to the highest production standards and in compliance with special regulations of the Israeli Ministry of Defense.

The FE60, a Blast, Ballistic & Forced Entry Resistant Steel Security Door provides the highest protection against burglaries as well as against military rifle and submachine attacks. The FE60 was tested and certified by H.P White Labs in accordance with the standards and procedures of SD – STD – 01.01 revisions G (amended).

The FE doors are suitable for all building types where there is a need for special intruder protection– residential, commercial, institutional, security areas and for special purposes.

FE5 Force Entry protection level – 5 minutes FE15 Force Entry protection level – 15 minutes

FE60 Force Entry protection level – 60 minutes

For more information, please visit our website – <u>www.rb-doors.com</u> or contact RB local dealer.





### Bullet Proof Door - Model 769

The bullet resistant door model 769 is manufactured by RB-DOORS compliant to the highest production standards. This High Security door includes an advanced locking system and provides the protection needed for advanced security, high defense level facilities.

#### Technical Specifications

General Description	The door is made of two 1.25mm thick (Door weight is 120 kg - 150 kg) galvanized steel sheets, reinforced by horizontal steel bars set between the casing and the armor plate. RB's high security 4-way locking system with additional reinforcement mechanism, 4 heavy duty hinges and telescopic bottom insert for door height adjustment.
Certification	Ballistic resistant armor steel plate, tested according to UL 752 protection level 4-8. Ballistic resistant transparency tested according to DIN 52290 part 2, using an AK-47 rifle
Hardware and Accessories	RB's High security cylinder, hardened drill resistant cylinder protector with a rotating disc and security cover plates on both sides of the locking case.
Frame	Construction or cover frame Bullet proof frame - optional
Door Finish	Electrostatic powder coating, different colors, PVC coating or 3mm thickness wooden decorative panels. Bullet resistant window is optional

For more information, please visit our website – <u>www.rb-doors.com</u> or contact RB local dealer.

Scan to view video





